

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	105	(extention and mobil\$9 and (remot\$9 OR local\$9) and shar\$9)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/09 07:47
S2	84	S1 and @ad<="20040414"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/05 17:18
S3	121	(extention and mobil\$9 and shar\$9)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/05 17:20
S4	98	S3 and @ad<="20040414"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/09 12:36
S5	307	extention and mobil\$9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/05 17:20
S6	267	S5 and @ad<="20040414"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/05 17:32
S7	169	S6 not S4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/05 17:22
S8	169	S7 not S2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/05 17:22
S9	74	extension NEAR mobility	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/05 17:32

S10	52	S9 and @ad<="20040414"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/05 17:33
S11	2	("6577726").PN	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/09 07:47
S12	12	("5008930" "5309504" "5915011" "5926535" "5960073" "6192121").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/09 11:11
S13	0	S12 and CDR	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/09 11:11
S14	0	S12 and (call\$2 NEAR detail NEAR record\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/09 11:12
S15	0	hotelling and CDR	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/09 11:14
S16	416	hotelling	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/09 12:34
S17	88470	*379*/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/09 11:15
S18	6	S16 and S17	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/09 11:19
S19	111384	*370*/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/09 11:20

S20	6	S16 and S19	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/09 11:20
S21	416	hotelling	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/09 15:19
S22	254	S21 and exten\$9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/09 12:35
S23	91	S22 and remot\$9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/09 12:36
S24	52	S23 and @ad<="20040414"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/09 13:15
S25	0	S24 and (hotelling NEAR application\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/09 13:11
S26	41959	((user\$2 OR agent\$2) NEAR3 location\$2) and (remot\$9 OR hotel\$9))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/09 13:14
S27	618	379/265.02.cols.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/09 13:39
S28	78	S26 and S27	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/09 13:15
S29	54	S28 and @ad<="20040414"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/09 15:20

S30	31	S29 and shar\$9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/09 13:26
S31	5	S27 and hotelling	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/09 13:40
S32	337	713/184.cds.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/09 13:40
S33	1	S32 and hotelling	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/09 13:40
S34	42	hotelling	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/09 15:19
S35	29	S34 and @ad<="20040414"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/09 15:26
S36	0	S35 and CDR	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/09 15:27
S37	0	S34 and CDR	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/09 15:27
S38	4	S35 and (call\$2 NEAR detail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/09 15:31
S39	5	S35 and bill\$9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/09 15:32

S40	1	10/824180	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/20 14:05
S41	15	(US-20040196861-\$ or US-20030147382-\$ or US-20030198334-\$ or US-20040071281-\$ or US-20020101978-\$ or US-20020076031-\$ or US-20050235158-\$).did. or (US-6356766-\$ or US-6988146-\$ or US-5579375-\$ or US-6307511-\$ or US-6594255-\$ or US-5523821-\$ or US-5991390-\$ or US-6785379-\$).did.	US-PGPUB; USPAT	OR	OFF	2008/03/20 14:20
S42	3	S41 and concur\$9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/20 14:20
S43	572	(concur\$9 SAME log\$5 SAME (endpoint\$2 or session\$9))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/20 14:25
S44	384	S43 and @ad<="20040414"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/20 14:25
S45	37	S44 and hotel\$9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/20 14:26
S46	52	(concur\$9 WITH log\$5 WITH (endpoint\$2 or session\$9) WITH (user\$2 OR caller\$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/20 14:34
S47	35	S46 and @ad<="20040414"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/20 14:34
S48	485	hotelling	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/20 15:14

S49	106	S48 and ((multip\$5 OR concur\$9) SAME (endpoint\$2 OR location\$2 OR terminal \$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/20 15:17
S50	55	S49 and @ad<="20040414"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/20 15:17
S51	316	((tele\$9)and (concur\$9 SAME log\$5 SAME (endpoint\$2 or session\$9))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/20 15:25
S52	0	S51 and telewor\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/20 15:26
S53	17	S51 and telecom\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/20 15:26
S54	2889	((private OR share\$9) NEAR mode)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/12 15:17
S55	706	S54 and concur\$9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/12 15:17
S56	218	S55 and extension	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/12 15:18
S57	24331	((select\$9 NEAR\$5 (private OR share\$9))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/12 15:19
S58	40	S56 and S57	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/12 15:19

S59	30	S58 and @ad<="20040414"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/12 15:20
S60	30	(((((user OR customer OR subscriber OR agent) NEAR5 concurrent\$9) NEAR4 log\$9) NEAR4 multiple)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/12 15:26
S61	17	S60 and @ad<="20040414"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/12 15:26
S62	335	((only NEAR4 extension) NEAR3 (user OR subscriber OR agent))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/12 15:41
S63	249	S62 and @ad<="20040414"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/12 15:41
S64	664	hotelling	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/12 16:20
S65	264	S64 and @ad<="20040414"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/12 16:20
S66	90	S65 and shar\$9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/12 16:21
S67	161	S65 and (shar\$9 OR concur\$9 OR simulta\$9)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/12 16:22
S68	1766	extension NEAR3 (users OR subscribers OR agents)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/12 16:35

S69	1316	S68 and @ad<="20040414"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/12 16:35
S70	1024	S68 and (shar\$9 OR concur\$9 OR simulta\$9)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/12 16:36
S71	737	S70 and @ad<="20040414"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/12 16:36
S72	358	S71 and log\$9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/12 16:44
S73	1766	extension NEAR3 (users OR subscribers OR agents)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/12 18:21
S74	1024	S73 and (shar\$9 OR concur\$9 OR simulta\$9)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/12 18:21
S75	737	S74 and @ad<="20040414"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/12 18:21
S76	358	S75 and log\$9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/12 18:21
S77	211	S76 and (multiple OR many OR number) SAME (shar\$9 OR concur\$9)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/12 18:21
S78	211	S76 and ((multiple OR many OR number) SAME (shar\$9 OR concur\$9))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/12 18:21

S79	45	S76 and ((multiple OR many OR number) SAME (shar\$9 OR concur\$9) SAME extension)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/12 18:24
S80	30	(((((user OR customer OR subscriber OR agent) NEAR5 concurrent\$9) NEAR4 log\$9) NEAR4 multiple)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/12 19:20
S81	2	(((((user OR customer OR subscriber OR agent) NEAR5 concurrent\$9) NEAR4 log\$9) NEAR4 multiple) SAME (terminal OR workstation OR phone OR (end NEAR point) OR device)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/12 19:22
S82	280	(((((user OR customer OR subscriber OR agent) NEAR4 log\$9) NEAR4 multiple) SAME (terminal OR workstation OR phone OR (end NEAR point) OR device)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/12 19:23
S83	136	S82 and @ad<="20040414"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/12 19:23
S84	3696	(concurr\$9 NEAR9 log\$9) and shar\$9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/14 15:49
S85	3397	S84 and (single OR private)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/14 15:50
S86	40623	*713*/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/14 15:51
S87	92440	*379*/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/14 15:51
S88	129798	*455*/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/14 15:51

S89	256003	S86 OR S87 OR S88	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/14 15:52
S90	217	S85 and S89	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/14 15:52
S91	164	S90 and @ad<="20040414"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/14 15:53
S92	16705	(home NEAR4 network) and shar\$9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/14 16:41
S93	8421	S92 and @ad<="20040414"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/14 16:42
S94	137048	S84 nd S93	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/14 16:44
S95	25	S84 and S93	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/14 16:44
S96	35428	(multiple OR plurality OR number OR many) NEAR4 (single NEAR2 (terminal Or telephone OR phone OR device))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/14 16:53
S97	140	S84 and S96	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/14 16:54
S98	82	S97 and @ad<="20040414"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/14 16:54

S99	1061	shar\$9 NEAR3 (single NEAR (terminal OR computer OR workstation OR station OR telephone OR endpoint OR device))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/14 17:05
S100	11	S84 and S99	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/14 17:06
S101	8	S100 and @ad<="20040414"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/14 17:06
S102	234	shar\$9 NEAR3 (single NEAR telephone)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/14 18:06
S103	3	S84 and S102	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/14 18:07
S104	3	S103 and @ad<="20040414"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/14 18:07
S105	27	S102 and (concurr\$9 and shar\$9)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/14 18:08
S106	22	S105 and @ad<="20040414"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/14 18:08
S107	47	((multiple OR plurality OR many OR number) NEAR3 extension) NEAR4 (single NEAR telephone))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/14 18:14
S108	36	S107 and @ad<="20040414"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/14 18:15

S109	9	S107 and concurr\$9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/14 18:16
S110	1803	((multiple OR plurality OR many OR number) NEAR4 (single NEAR telephone))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/14 18:25
S111	194	S110 and (concurr\$9 and shar\$9)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/14 18:26
S112	136	S111 and @ad<="20040414"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/14 18:26
S113	31079	((virtual NEAR private) NEAR network) OR VPN)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/15 14:49
S114	98	S113 and ((simulta\$ OR concurrent\$9) NEAR log\$9)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/15 14:50
S115	60	S114 and @ad<="20040414"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/15 14:51
S116	0	S115 AND (muti\$9 NEAR locations)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/15 14:53
S117	3401	((concurr\$9 OR simultan\$9) NEAR log\$9)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/15 15:02
S118	0	S117 AND (muti\$9 NEAR (locations OR offices OR endpoints))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/15 15:03

S119	76	S117 AND (multip\$9 NEAR (locations OR offices OR endpoints))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/15 15:04
S120	53	S119 and @ad<="20040414"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/15 15:04
S121	113	log\$9 SAME (multip\$9 NEAR (locations OR offices OR endpoints)) SAME (concurr\$9 OR simultan\$9)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/15 15:12
S122	68	S121 and @ad<="20040414"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/15 15:12
S123	89	(logo\$9 OR logi\$9 OR log-on OR log-in OR sign-on OR sign-in) SAME (multip\$9 NEAR (locations OR offices OR endpoints)) SAME (concurr\$9 OR simultan\$9)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/15 15:23
S124	50	S123 and @ad<="20040414"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/15 15:23
S125	6	(logon OR login OR log-on OR log-in OR sign-on OR sign-in) SAME (multip\$9 NEAR (locations OR offices OR endpoints)) SAME (concurr\$9 OR simultan\$9)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/15 15:26
S126	3	S125 and @ad<="20040414"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/15 15:27
S127	6032	(logo\$9 OR logi\$9 OR log-on OR log-in OR sign-on OR sign-in) SAME (locations OR offices OR endpoints) SAME (concurr\$9 OR simultan\$9)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/15 15:28
S128	4263	S127 and @ad<="20040414"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/15 15:29

S129	317	((logon OR login OR log-on OR log-in OR sign-on OR sign-in) SAME (locations OR offices OR endpoints) SAME (concurr\$9 OR simultan\$9)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/15 15:30
S130	209	S129 and @ad<="20040414"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/15 15:30
S131	14	S130 AND (logon OR login OR log-on OR log-in OR sign-on OR sign-in) NEAR2 (concurr\$9 OR simultan\$9)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/15 15:34
S132	159	((simulta\$ OR concurrent\$9 OR multip\$9) NEAR log\$9) SAME ((single OR one) NEAR user)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/15 15:42
S133	88	S132 and @ad<="20040414"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/15 15:43
S134	509	((logon\$2 OR login\$2 OR log-on\$2 OR log-in\$2 OR sign-on\$2 OR sign-in\$2) SAME ((locations OR offices OR endpoints) NEAR3 (differ\$9 OR multip\$9 OR pluralit\$9)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/15 17:13
S135	213	S134 and @ad<="20040414"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/15 17:14
S136	189	S134 AND ((logon\$2 OR login\$2 OR log-on\$2 OR log-in\$2 OR sign-on\$2 OR sign-in\$2) WITH ((locations OR offices OR endpoints) NEAR3 (differ\$9 OR multip\$9 OR pluralit\$9)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/15 17:16
S137	81	S136 and @ad<="20040414"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/15 17:16
S138	115	((logon\$2 OR login\$2 OR log-on\$2 OR log-in\$2 OR sign-on\$2 OR sign-in\$2) WITH ((locations OR offices OR endpoints) NEAR (differ\$9 OR multip\$9 OR pluralit\$9)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/15 17:43

S139	1	(logon\$2 OR login\$2 OR log-on\$2 OR log-in\$2 OR sign-on\$2 OR sign-in\$2) WITH ((locations OR offices OR endpoints) NEAR (differ\$9 OR multip\$9 OR pluralit\$9)) WITH ((single OR one) NEAR user)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/15 17:43
S140	0	(logon\$2 OR login\$2 OR log-on\$2 OR log-in\$2 OR sign-on\$2 OR sign-in\$2) NEAR3 ((locations OR offices OR endpoints) NEAR (differ\$9 OR multip\$9 OR pluralit\$9)) WITH ((single OR one) NEAR user)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/15 17:46
S141	59	(logon\$2 OR login\$2 OR log-on\$2 OR log-in\$2 OR sign-on\$2 OR sign-in\$2) NEAR3 ((differ\$9 OR pluralit\$9 OR multip\$9) ADJ (locations OR offices OR endpoints))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/15 17:49
S142	8	S141 and @ad<="20040414"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/15 17:50
S143	102	(logon\$2 OR login\$2 OR log-on\$2 OR log-in\$2 OR sign-on\$2 OR sign-in\$2) NEAR4 differ\$9 NEAR3 (computer terminal)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/15 18:20
S144	57	S143 and @ad<="20040414"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/15 18:20
S145	49	logon\$2 NEAR3 different NEAR3 computer\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/15 19:39
S146	13	S145 and @ad<="20040414"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/15 19:39
S147	11	logon\$2 NEAR3 different NEAR3 computer\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/15 19:42

S148	13	S146 and @ad<="20040414"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/15 19:43
S149	0	logon\$2 NEAR3 different NEAR3 computer\$2 NEAR4 locations	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/15 19:44
S150	0	logon\$2 NEAR3 computers NEAR3 different NEAR4 locations	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/15 19:45
S151	434	multip\$4 NEAR4 logon\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/15 19:46
S152	351	S151 and server and password	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/15 19:46
S153	99	S152 and (different multiple) near3 (terminal computer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/15 19:48
S154	47	S153 and @ad<="20040414"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/15 19:48
S155	29	logon\$2 WITH (different NEAR2 (computers terminals))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/15 20:09
S156	47	S154 and @ad<="20040414"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/15 20:10
S157	18	S155 and @ad<="20040414"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/15 20:10

S158	2	"6292792".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/15 20:14
------	---	---------------	---	----	----	---------------------

7/ 15/ 2009 9:20:27 PM

C:\Documents and Settings\knguyen23\My Documents\EAST\Workspaces\10_824180_Re-
Open_Non-Final2.wsp